

Syngenta Canada Inc.
140 Research Lane, Research Park
Guelph, ON N1G 4Z3

**In Case of Emergency, Call
1-800-327-8633 (FAST MED)**

Date of MSDS Preparation (Y/M/D): 2014-12-31

Supersedes date (Y/M/D): 2011-12-31

MSDS prepared by:
Department of Regulatory & Biological Assessment
Syngenta Canada Inc.

For further information contact:
1-87-SYNGENTA (1-877-964-3682)

SECTION – 1: PRODUCT IDENTIFICATION

Product Identifier: DEMAND[®] CS Insecticide Formulation No.: A12690A
Registration Number: 27428 (Pest Control Products Act)
Chemical Class: Synthetic pyrethroid

Active Ingredient (%): Lambda-Cyhalothrin Technical Insecticide (9.8 %) CAS No.: 91465-08-6
Chemical Name: [1a(S),3a(Z)]-cyano(3-phenoxyphenyl)methyl-3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate

Product Use: For control of insects on labelled crops. For further details please refer to product label.

SECTION – 2: COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen	WHMIS†
Crystalline Silica, Quartz and Cristobalite	10mg/m ³ / (%SiO ₂ +2) (respirable dust)	0.025 mg/m ³ (respirable silica)	0.05 mg/m ³ (respirable dust) **	IARC 1; ACGIH 1	Yes
Petroleum Solvent	Not Established	Not Established	100 mg/m ³ (19 ppm) TWA*	No	Not Established
1,2,4 Trimethylbenzene CAS No. 95-63-6 (< 2.5 %)	Not Established	25 ppm TWA	25 ppm TWA**	No	Yes
Cumene (< 1 %)	50 ppm TWA (Dermal)	50 ppm TWA	Not Established	No	Not Established
Propylene Glycol CAS No. 57-55-6	Not Established	Not Established	10 ppm TWA****	No	Yes
Xylene (< 1 %) CAS No. 1330-20-7	100 ppm TWA	100 ppm TWA; 150 ppm STEL	100 ppm TWA**	IARC Group 3	Not Established
Lambda-Cyhalothrin	Not Established	Not Established	0.04 mg/m ³ TWA (Dermal)***	No	Not Established

* Recommended by Manufacturer

** Recommended by NIOSH

*** Syngenta Occupational Exposure Limit (OEL)

**** Recommended by AIHA (American Industrial Hygiene Association)

† Material listed in Ingredient Disclosure List under Hazardous Products Act.

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.
Syngenta Hazard Category: C, S

SECTION – 3: HAZARDS IDENTIFICATION

Symptoms of Acute Exposure

May cause eye irritation. Allergic skin reactions are possible. Exposure to high vapour levels may cause headaches, drowsiness or dizziness. May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

Hazardous Decomposition Products

Can decompose at high temperatures and form toxic gases.

Physical Properties

Appearance: Off-white liquid.
Odour: Slight odour/typical aromatic solvent.

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion. Material is unlikely to produce vapour or mist in transportation and be hazardous by inhalation.

SECTION – 4: FIRST AID MEASURES

IF POISONING IS SUSPECTED, immediately contact the poison information centre, doctor or nearest hospital. Have the product container, label or Material Safety Data Sheet with you when calling Syngenta, a poison control center or doctor, or going for treatment. Tell the person contacted the complete product name, and the type and amount of exposure. Describe any symptoms and follow the advice given. Call the Syngenta Emergency Line [**1-800-327-8633 (1-800-FASTMED)**], for further information.

EYE CONTACT: Flush eyes with clean water, holding eyelids apart for a minimum of 15 - 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta, a poison control center or doctor for treatment advice. Obtain medical attention immediately if irritation persists.

SKIN CONTACT: Immediately remove contaminated clothing and wash skin, hair and fingernails thoroughly with soap and water. Flush skin with plenty of water for 15-20 minutes. Call Syngenta, a poison control centre or doctor for treatment advice.

INHALATION: Move victim to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call Syngenta, a poison control centre or doctor for treatment advice.

INGESTION: If swallowed, immediately contact Syngenta, a poison control centre, doctor or nearest hospital for treatment advice. Do not induce vomiting unless directed by a physician or a poison control center. Do not give **any** liquid to the person. Call Syngenta, a poison control centre or doctor for treatment advice.

NOTES TO PHYSICIAN:

There is no specific antidote if this product is ingested. Treat symptomatically.
Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours. Topical application of vitamin E may alleviate symptoms.
Contains petroleum distillate - vomiting may cause aspiration pneumonia.

MEDICAL CONDITIONS KNOWN TO BE AGGRAVATED: None known.

SECTION – 5: FIRE FIGHTING MEASURES

Flash point and method: >100 °C (Setaflash)

Upper and lower flammable (explosive) limits in air: Not applicable.

Auto-ignition temperature: Not available.

Flammability: Not applicable.

Hazardous combustion products: During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Conditions under which flammability could occur: Keep fire exposed containers cool by spraying with water.

Extinguishing media: For small fires, use foam, carbon dioxide, dry powder or halon extinguishant. For large fires, use foam or water-fog; avoid use of water jet. Water spray may be ineffective as an extinguishing medium but may be used to cool fire-exposed containers and to flush non-ignited spills or vapours away from sources of ignition. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. Contain run-off water with, for example, temporary earth barriers.

Sensitivity to explosion by mechanical impact: None known.

Sensitivity to explosion by static discharge: None known.

SECTION – 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Make sure all personnel involved in the spill cleanup follow good industrial hygiene practices. A small spill can be handled routinely. Use adequate ventilation and wear equipment and clothing as described in Section 8 and/or the product label.

Procedures for dealing with release or spill: Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Sections 7 and 8. Pump or scoop large amounts of liquid into a disposable container. Absorb remaining liquid or smaller spills with clay, sand or vermiculite. Scoop or sweep up material and place into a disposal container. Wash area with detergent and water. Pick up wash liquid with additional absorbent and place into compatible disposal container. On soils, small amounts will naturally decompose. For large amounts, skim off the upper contaminated layer and collect for disposal. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposal. Spillages or uncontrolled discharges into watercourses must be reported to the appropriate regulatory authority.

SECTION – 7: HANDLING AND STORAGE

Handling practices: Material is unlikely to produce vapour or mist in transportation and be hazardous by inhalation. KEEP OUT OF REACH OF CHILDREN. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Avoid breathing vapours or spray mist. Wear full protective clothing and equipment (see Section 8). After work, rinse gloves and remove protective equipment, and wash hands thoroughly with soap and water after handling, and before eating, tobacco use, drinking, applying cosmetics or using the toilet. Wash contaminated clothing before re-use and separate from household laundry. Keep containers closed when not in use. Protect product, wash or rinse water, and contaminated materials from uncontrolled release into the environment, or from access by animals, birds or unauthorized people.

Appropriate storage practices/requirements: Store in original container only in a well-ventilated, cool, dry, secure area. Protect from heat, sparks and flame. Do not expose sealed containers to temperatures above 40 °C. Keep separate from other products to prevent cross contamination. Rotate stock. Clean up spilled material immediately.

National Fire Code classification: Not required.

SECTION – 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Applicable control measures, including engineering controls: This product is intended for use outdoors where engineering controls are not necessary. If necessary, ensure work areas have ventilation, containment, and procedures sufficient to maintain airborne levels below the TLV. Warehouses, production area, parking lots and waste holding facilities must have adequate containment to prevent environmental contamination. Provide separate shower and eating facilities.

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

CONSULT THE PRODUCT LABEL FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS.

Personal protective equipment for each exposure route:

General: Avoid breathing dust, vapours or aerosols. Avoid contact with eye, skin and clothing. Wash thoroughly after handling and before eating, drinking, applying cosmetics or handling tobacco.

INGESTION: Do not eat, drink, handle tobacco, or apply cosmetics in areas where there is a potential for exposure to this material. Always wash thoroughly after handling.

EYES: Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

SKIN: Where contact is likely, wear chemical-resistant gloves (such as nitrile or butyl), coveralls, socks and chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear.

INHALATION: Use effective engineering controls to comply with occupational exposure limits. In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

Use a self-contained breathing apparatus in cases of large emergency spills when exposure levels are unknown or under any circumstances where air-purifying respirators may not provide adequate protection.

SECTION – 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Off-white liquid.

Formulation Type: Capsule Suspension concentrate.

Odour: Slight odour/typical aromatic solvent.

pH: 7.3 (1% w/w dilution in H₂O).

Vapour pressure and reference temperature: 1.5 x 10⁻⁹ mmHg @ 20 °C (Lambda-Cyhalothrin technical).

Vapour density: No data.

Boiling point: 100 °C.

Freezing point: -16 °C.

Specific gravity or density: 1.04 @ 20 °C.

Evaporation Rate: Not available.

Water/oil partition coefficient: log Kow = 7 (Lambda-Cyhalothrin technical)

Odour threshold: Not available.

Viscosity: 320 mPas (or cps) @ 20 °C.

Solubility in Water: 0.005 mg/L (Lambda-Cyhalothrin technical).

SECTION – 10: STABILITY AND REACTIVITY

Chemical stability: Stable under normal use and storage conditions.

Conditions to avoid: None known.

Incompatibility with other materials: None known.

Hazardous decomposition products: Can decompose at high temperatures forming toxic gases.

Hazardous polymerization: Will not occur.

SECTION – 11: TOXICOLOGICAL INFORMATION**Acute Toxicity/Irritation Studies (Finished Product)**

Ingestion:	<u>Low Acute Toxicity</u> Oral (LD50 Rat):	> 5,000 mg/kg body weight
Dermal:	<u>Low Acute Toxicity</u> Dermal (LD50 Rat):	> 2,000 mg/kg body weight
Inhalation:	<u>Low Acute Toxicity</u> Inhalation (LC50 Rat):	> 4.62 mg/L air - 4 hours
Eye Contact:	<u>Mildly Irritating (Rabbit)</u>	
Skin Contact:	<u>Slightly Irritating (Rabbit)</u>	

Skin Sensitization:

Potential Sensitizer (Guinea Pig)

Reproductive/Developmental Effects

Lambda-Cyhalothrin:

Not a developmental or reproductive toxicant.

Chronic/Subchronic Toxicity Studies

Lambda-Cyhalothrin:

Reversible paresthesia (abnormal skin sensation).

Reversible clinical signs of neurotoxicity in mammals.

Carcinogenicity

Lambda-Cyhalothrin:

No treatment-related tumors in rats or mice.

Other Toxicity Information

Synthetic Pyrethroids: In humans contact with exposed skin may result in temporary itching, tingling, burning or numbness, called paresthesia. The effect may result from splash, aerosol, hot vapor contact or transfer to the face from contaminated gloves and hands. This effect is transient, lasting up to 24 hours. Face and genital areas are especially susceptible to this effect..

Material is unlikely to produce vapour or mist in transportation and be hazardous by inhalation.

Toxicity of Other Components

Cumene

Exposure to cumene vapors may cause irritation to eyes, skin, and respiratory tract. Cumene may also cause headaches, dizziness, anesthesia, drowsiness, unconsciousness and other central nervous system effects. Prolonged exposure to high concentrations (>100 PPM) may result in liver, kidney or lung damage. Test results reported in Section 11 for the final product take into account any acute hazards related to the 1,2,4-trimethylbenzene in the formulation.

1,2,4-Trimethylbenzene

Test results reported in Section 11 for the final product take into account any acute hazards related to the 1,2,4-trimethylbenzene in the formulation.

Propylene Glycol

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in experimental animals.

Petroleum Solvent

The supplier reports that high vapour/aerosol concentrations (> 1000 ppm) are irritating to the eyes and the respiratory tract, may cause headaches, dizziness, anesthesia, drowsiness, unconsciousness and other central nervous system effects. Test results reported in Section 11 for the final product take into account any acute hazards related to the petroleum solvent in the formulation.

Xylene

Test results reported in Section 11 for the final product take into account any acute hazards related to the xylene in the formulation.

Target Organs

Active Ingredients

Lambda-Cyhalothrin Technical:

Liver, central nervous system (CNS)

Inert Ingredients

1,2,4-Trimethylbenzene:

CNS, liver, kidney, blood, respiratory tract, skin, eye

Propylene Glycol:

CNS, skin, eye, kidney, liver.

Cumene:

CNS, respiratory tract, skin, eye, liver, kidney

Petroleum Solvent:

CNS, eye, respiratory tract

Xylene:

CNS, respiratory tract, skin

SECTION – 12: ECOLOGICAL INFORMATION

Summary of Effects

The active ingredient, lambda-cyhalothrin, is slightly toxic to birds, but is highly toxic to fish and aquatic invertebrates (water flea).

Eco-Acute Toxicity

Lambda-Cyhalothrin Technical:

Green Algae 96-hr EC ₅₀	> 1.0 ppm
Invertebrates (Water Flea) 48-hour EC ₅₀	0.36 ppb
Fish (Rainbow Trout) 96-hr LC ₅₀	0.24 ppb
Birds (Mallard Duck) Oral LC ₅₀	> 3,992 mg/kg

Environmental Fate

The active ingredient lambda-cyhalothrin has low mobility in soil. While the high partition coefficient indicates a potential for bioaccumulation, other data shows that lambda-cyhalothrin does not bioaccumulate. The dissipation half-life in soil is 22-82 days and in water it is 20 days.

SECTION – 13: DISPOSAL CONSIDERATIONS

Waste disposal information: Do not reuse empty containers unless they are specifically designed to be re-filled.. Empty container retains product residue. Triple rinse, or equivalent, empty container, return rinse water to dilution mixture, and dispose of dilution mixture as a hazardous waste if it cannot be disposed of by use according to label instructions. Dispose of empty containers in accordance with local regulations. Consult provincial environment ministry for advice on waste disposal. Industrial/commercial waste may be handled at licensed facilities only. Waste shipments must be securely packaged and properly labelled. Only licensed carriers may be used, and proper documents must accompany the shipment.

SECTION – 14: TRANSPORT INFORMATION

Shipping information such as shipping classification:

TRANSPORTATION OF DANGEROUS GOODS CLASSIFICATION - ROAD/RAIL
Not Regulated.

SECTION – 15: REGULATORY INFORMATION

WHMIS classification for product: Exempt

A statement that the MSDS has been prepared to meet WHMIS requirements, except for use of the 16 headings.
This MSDS has been prepared in accordance with WHMIS requirements, but the data are presented under 16 headings.

Other regulations; restrictions and prohibitions

Pest Control Products (PCP) Act Registration No.: 27428

SECTION – 16: OTHER INFORMATION

The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied and Syngenta will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein. This Material Safety Data Sheet is valid for three years. This product is under the jurisdiction of the Pest Control Products Act and is exempt from the requirements for a WHMIS compliant MSDS. Hazardous properties of all ingredients have been considered in the preparation of this MSDS. Read the entire MSDS for the complete hazard evaluation of this product.

Prepared by: Syngenta Canada Inc.
1-87-SYNGENTA (1-877-964-3682)

Syngenta Canada Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date thereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of Syngenta Canada Inc., Syngenta Canada Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

DEMAND[®] is a trademark of a Syngenta Group Company.